Cleveland State University

Office of the University Architect

FINISH STANDARDS

Cleveland State University

Office of the University Architect

FINISH STANDARDS

Finish Standards have been developed by the Office of the University Architect to help provide a more cohesive look to the campus as a whole, as well as allowing for more efficient Zone Maintenance and faster project delivery. Several deciding factors went into these selections, including cost, maintenance, and availability, as well as environmental factors such as recycled content and indoor air quality. All requests for new finishes are to go through the FAST Service Request process via the Facilities Management website at http://fastrequest.csuohio.edu/

These standards shall be used for all FAST Service Requests.

OUA projects may deviate from (but coordinate with) these standards
with written approval from the OUA Interior Designer and Facilities Director.

Digital/print copies of Finish Standards DO NOT match actual samples.
Office of the University Architect and Facilities Management have sample binders for use on FAST Requests.

Cleveland State University
Office of the University Architect

PAINT STANDARDS

Finish Standards are based upon the ability of spaces to be "maintainable and transferrable". Standardized colors provide a more cohesive look to the campus as a whole, as well as allowing for more efficient Zone Maintenance. Several deciding factors went into these selections, including what office colors are already primarily used on campus (Dover White, Antique White, Bone White), utilizing the "Official University Color Palette" but toning the colors down to be suitable for wall-sized applications, and specifying a paint product that has zero VOCs for better indoor air quality.

OFFICES:
To be painted one color throughout:

SW 6385	Dover White
SW 6119	Antique White
SW 6112	Biscuit (aka Bone White)
SW 6365	Cachet Cream
SW 7064	Passive

SUITE RECEPTION / CORRIDOR:
May have an accent wall:

SW 6816	Dahlia
SW 6802	Jacaranda
SW 6801	Regale Blue
SW 6773	Rapture Blue
SW 6739	Eco Green
SW 6717	Lime Rickey
SW 6703	Frolic
SW 6675	Afternoon
SW 6655	Adventure Orange
SW 6621	Emotional

LARGE PROJECTS and/or PUBLIC SPACES:
Must go through the Office of the University Architect.

SPECIFICATIONS:
Paint to be Sherwin Williams zero VOC Harmony.
Offices/Suites/Classrooms to be eg-shel finish.
Doors/Frames and Public Corridors to be semi-gloss finish.

BREAKTHROUGH INNOVATION.

EXCELLENT PERFORMANCE.

EXCLUSIVE FORMULA.

Harmony Paint — long known for its premium performance in a zero VOC formula — now contains Formaldehyde Reducing Technology, which helps promote better indoor air quality by reducing airborne concentrations of formaldehyde and other aldehydes. This unique technology actually helps reduce the levels of volatile organic compounds (VOCs) from potential sources like insulation, carpet, cabinets, fabrics and other building materials.

In addition, Harmony contains Odor Eliminating Technology, which reduces ambient odors of organic origin, like pet, cooking and smoke odors — making it ideal for multi-family, healthcare, institutional, commercial and residential projects. This zero VOC formula meets the most stringent VOC regulations. Harmony contains anti-microbial agents which minimize deterioration of the paint film caused by mold and mildew and extend the useful life of the paint. Harmony Paint provides great coverage, a finish that lasts, reduces interior odors and helps promote better indoor air quality.

HARMONY KEY BENEFITS

- Formaldehyde Reducing Technology helps improve indoor air quality by reducing VOCs from possible sources like insulation, carpet, cabinets and fabrics.*

- Odor Eliminating Technology helps reduce common indoor odors so rooms stay fresher, longer.*

- Anti-microbial agents inhibit the growth of mold and mildew on the paint surface and inhibit the growth of bacterial odors.

- Zero VOC formula tinted with ColorCast Ecotoner® Colorants that do not add VOCs when tinted.

- Great hide and a durable finish that withstands frequent washings.

- Available in flat, eg-shel and semi-gloss.

*The length of time Harmony actively reduces odors and formaldehyde depends on the concentration, the frequency of exposure and the amount of painted surface area.

## ALSO AVAILABLE:

HARMONY® INTERIOR LATEX WALL PRIMER

- Primes, seals and hides.
- Prepares the surface to provide good topcoat performance.
- Zero VOCs.

Cleveland State University

Office of the University Architect

GENERAL PAINT - 1   MARCH 2014

Cleveland State University

Office of the University Architect

GENERAL PAINT - 2   MARCH 2014

<u>SHERWIN WILLIAMS</u>
SW 6119
ANTIQUE WHITE

Cleveland State University

Office of the University Architect

SHERWIN WILLIAMS
SW 6112
BISCUIT
(aka BONE WHITE)

Cleveland State University

Office of the University Architect

SHERWIN WILLIAMS
SW 6365
CACHET CREAM

GENERAL PAINT - 5   MARCH 2014

ACCENT PAINT SAMPLES

GENERAL PAINT - 16   REV. 03/2021

SHERWIN WILLIAMS
SW 7669
SUMMIT GRAY

ACCENT PAINT - 6   MARCH 2014

Cleveland State University

Office of the University Architect

ACCENT PAINT - 7   MARCH 2014

Cleveland State University

Office of the University Architect

ACCENT PAINT - 8   MARCH 2014

Cleveland State University

Office of the University Architect

ACCENT PAINT - 9   MARCH 2014

SHERWIN WILLIAMS
SW 6773
RAPTURE BLUE

ACCENT PAINT - 10   MARCH 2014

Cleveland State University

Office of the University Architect

ACCENT PAINT - 11   MARCH 2014

SHERWIN WILLIAMS
SW 6717
LIME RICKEY

Cleveland State University

Office of the University Architect

ACCENT PAINT - 12   MARCH 2014

ACCENT PAINT - 13   MARCH 2014

SHERWIN WILLIAMS
SW 6675
AFTERNOON

ACCENT PAINT - 14   MARCH 2014

SHERWIN WILLIAMS
SW 6655
ADVENTURE ORANGE

ACCENT PAINT - 15   MARCH 2014

SHERWIN WILLIAMS
SW 6621
EMOTIONAL

Cleveland State University

Office of the University Architect

RUBBER BASE STANDARDS

Finish Standards are based upon the ability of spaces to be "maintainable and transferrable". Standardized colors provide a more cohesive look to the campus as a whole, as well as allowing for more efficient Zone Maintenance. Several deciding factors went into these selections, including the ability to hide wear/mars (dark colors), recycled content, and the ability to be recycled/reprocessed upon removal.

JOHNSONITE:

Specifications: 4" H x 1/8" thick rubber, toed, roll/coil goods

Base Colors:	63	Burnt Umber	Matching Paint:	SW 7069	Iron Ore
	40	Black		SW 6990	Caviar
	47	Brown		SW 6006	Black Bean
	20	Charcoal		SW 7075	Web Gray

RUBBER BASE - 1   MARCH 2014

<u>JOHNSONITE</u>
63 BURNT UMBER

Matching Paint:
SW 7069 IRON ORE

Cleveland State University
Office of the University Architect

RUBBER BASE - 2   MARCH 2014

RUBBER BASE - 3   MARCH 2014

JOHNSONITE
47 BROWN

Matching Paint:
SW 6006 BLACK BEAN

RUBBER BASE - 4   MARCH 2014

JOHNSONITE
20 CHARCOAL

Matching Paint:
SW 7075 WEB GRAY

CARPET STANDARDS

Finish Standards are based upon the ability of spaces to be "maintainable and transferrable". Standardized products provide a more cohesive look to the campus as a whole, as well as allowing for more efficient Zone Maintenance. Several deciding factors went into these selections, including cost (under $25 per sq. yd. on state contract), maintenance (Antron 6/6 nylon, solution dyed), availability (perceived lifespan of pattern), and recycled content (as noted below).

INSTALLATION
Quarter-turn installations are NOT acceptable.
Please see each product page for installation type (Ashlar, Brick, or Non-Directional).

Pattern #1 - discontinued

Pattern #2:   Primary Stitch
Manufacturer: INTERFACE
Specifications: 20x20 tile, 64% recycled content, Brick install
Colorways: 2A -   102419   Purl Accent   blue
                         2B -   102415   Satin Accent   gray
                         2C -   102411   Crewel Accent   brown
                         2D -   102413   Moss Accent   green

Pattern #3 - discontinued

Pattern #4:   Aerial
Manufacturer: INTERFACE
Specifications: 20x20 tile, 61% recycled content, Brick install
Colorways: 4A -   105410   Iron Accent   blue
                4B -   105411   Smoke Accent   gray
                4C -   105409   Greige Accent   brown
                4D -   105406   Fog Accent   green

Pattern #5:   Driftwood
Manufacturer: INTERFACE
Specifications: 10x40 plank, 71% recycled content, Ashlar install
Colorways: 5A -   104859   Sweetgum   blue
                5B -   104848   Redwood   gray
                5C -   104846   Mahogany   brown
                5D -   104847   Pine   green

WALK OFF CARPET TILE
Manufacturer: INTERFACE
Pattern: Entry Level / Step & Repeat # SR999
Specifications: 22x20 tile, 69% recycled content, Non-Directional install
Colorway: A -   104945   Onyx   black

CARPET TILE - 2A   JUNE 2018

INTERFACE
PRIMARY STITCH
102419 PURL ACCENT
(BLUE)
Brick Installation

CARPET TILE - 2B   JUNE 2018

INTERFACE
PRIMARY STITCH
102415 SATIN ACCENT
(GRAY)
Brick Installation

CARPET TILE - 2C   JUNE 2018

<u>INTERFACE</u>
PRIMARY STITCH
102411 CREWEL ACCENT
(BROWN)
Brick Installation

CARPET TILE - 2D   JUNE 2018

<u>INTERFACE</u>
PRIMARY STITCH
102413 MOSS ACCENT
(GREEN)
Brick Installation

CARPET TILE - 4A   JUNE 2018

INTERFACE
AERIAL
105410 IRON ACCENT
(BLUE)
Brick Installation

CARPET TILE - 4B   JUNE 2018

INTERFACE
AERIAL
105411 SMOKE ACCENT
(GRAY)
Brick Installation

CARPET TILE - 4C   **JUNE 2018**

INTERFACE
AERIAL
105409 GREIGE ACCENT
(BROWN)
Brick Installation

CARPET TILE - 4D

JUNE 2018

INTERFACE
AERIAL
105406 FOG ACCENT
(GREEN)
Brick Installation

CARPET TILE - 5A   JUNE 2018

<u>INTERFACE</u>
DRIFTWOOD
104859 SWEETGUM
(BLUE)
Ashlar Installation

CARPET TILE - 5B   JUNE 2018

<u>INTERFACE</u>
DRIFTWOOD
104848 REDWOOD
(GRAY)
Ashlar Installation

CARPET TILE - 5C   JUNE 2018

INTERFACE
DRIFTWOOD
104846 MAHOGANY
(BROWN)
Ashlar Installation

Cleveland State University
Office of the University Architect

CARPET TILE - 5D   JUNE 2018

<u>INTERFACE</u>
DRIFTWOOD
104847 PINE
(GREEN)
Ashlar Installation

Cleveland State University

Office of the University Architect

WALK OFF TILE - A   JUNE 2018

INTERFACE
STEP & REPEAT # SR999
104945 ONYX
(BLACK)
Non-Directional Installation