

Description:	FEE SCHEDULE \$ Amount
Hepatitis A and hepatitis B vaccine (HepA-HepB), adult dosage, for intramuscular use	\$90.00
Hepatitis A vaccine, adult dosage, for intramuscular use	\$60.00
Hepatitis B vaccine, adult dosage, for intramuscular use	\$75.00
Human Papilloma virus (HPV) vaccine, types 16, 18, bivalent, 3 dose schedule, for intramuscular use	\$195.00
Human Papilloma virus (HPV) vaccine, types 6, 11, 16, 18 (quadrivalent), 3 dose schedule, for intramuscular use	\$205.00
Immunization administration (includes percutaneous, intradermal, subcutaneous, or intramuscular injections); each additional vaccine (single or combination vaccine/toxoid) (List separately in addition to code for primary procedure)	\$40.00
Immunization administration (includes percutaneous, intradermal, subcutaneous, or intramuscular injections); one vaccine (single or combination vaccine/toxoid)	\$40.00
Immunization administration by intranasal or oral route; each additional vaccine (single or combination vaccine/toxoid) (List separately in addition to code for primary procedure)	\$0.00
Immunization administration by intranasal or oral route; one vaccine (single or combination vaccine/toxoid)	\$0.00
Influenza virus vaccine, quadrialent, derived from cell cultures, subunit, egg free	\$30.00
Influenza virus vaccine, quadrivalent, split virus, preservative free	\$30.00
Influenza virus vaccine, split virus, preservative free, when administered to individuals 3 years and older, for intramuscular use	\$25.00
Influenza virus vaccine, split virus, when administered to individuals 3 years of age and older, for intramuscular use	\$40.00
Measles, mumps and rubella virus vaccine (MMR), live, for subcutaneous use	\$80.00
Meningococcal polysaccharide vaccine (any group(s)), for subcutaneous use	\$125.00
Pneumococcal polysaccharide vaccine, 23-valent, adult or immunosuppressed patient dosage, when administered to individuals 2 years or older, for subcutaneous or intramuscular use	\$75.00
PREVNAR 13- streptococcus pneumoniae type	\$130.00
Shingrix	\$150.00
Tetanus and diphtheria toxoids (Td) adsorbed when administered to individuals 7 years or older, for intramuscular use	\$24.00
Tetanus, diphtheria toxoids and acellular pertussis vaccine (Tdap), when administered to individuals 7 years or older, for intramuscular use	\$70.00
Typhoid vaccine, live, oral	\$40.00
Typhoid vaccine, Vi capsular polysaccharide (ViCPs), for intramuscular use	\$95.00
Zoster (shingles) vaccine, live, for subcutaneous injection	\$200.00
\$5 Office Visit Fee for OON/no ins/no ins payment	\$15.00
Ace wrap	\$2.00
ADMIN	\$0.00
ADMIN	\$0.00
Administration and interpretation of health risk assessment instrument (eg, health hazard appraisal)	\$0.00
Antibiotic oral	\$12-\$30
Application of finger splint; static	\$0.00
Bld Pressure ck	\$20.00
BUN	\$0.00
Calcium serum	\$0.00
Collection of capillary blood specimen (eg, finger, heel, ear stick)	\$10.00
Collection of venous blood by venipuncture	\$5.00
Compremetabpane	\$0.00

CONTRACEPTIVE PILLS FOR BIRTH CONTROL	\$15.00
Control nasal hemorrhage, anterior, simple (limited cautery and/or packing) any method	\$25.00
Creatine Blood	\$0.00
Creatine Kinase	\$0.00
Culture, chlamydia, any source	\$36.00
Culture, typing; immunofluorescent method, each antiserum	\$11.00
DepoProvera	\$110.00
Destruction of lesion(s), penis (eg, condyloma, papilloma, molluscum contagiosum, herpetic vesicle), simple; chemical	\$100.00
Diaphragm or cervical cap fitting with instructions	\$110.00
Drainage of finger abscess; simple	\$35.00
Dressing wet-dry	\$20.00
Dressings and/or debridement of partial-thickness burns, initial or subsequent; small (less than 5% total body surface area)	\$35.00
Evra	\$0.00
Free T3	\$10.00
G6PD	\$0.00
Gardasil	\$0.00
H1N1	\$0.00
Handling and/or conveyance of specimen for transfer from the physician's office to a laboratory	\$0.00
HCG blood ql	\$0.00
HCG blood qn	\$0.00
Health Educatio	\$0.00
Hematocrit lab	\$0.00
Hep A Immun	\$0.00
Hep B antigen	\$0.00
Hep B sur antib	\$0.00
Hep Be Antibody	\$0.00
HepB 20yrs over	\$0.00
HepB coreantibd	\$0.00
Herpes Antibody	\$0.00
HFT test	\$0.00
Incision and drainage of abscess (eg, carbuncle, suppurative hidradenitis, cutaneous or subcutaneous abscess, cyst, furuncle, or paronychia); simple or single	\$75.00
Incision and removal of foreign body, subcutaneous tissues; complicated	\$25.00
Individual psychotherapy, insight oriented, behavior modifying and/or supportive, in an office or outpatient facility, approximately 45 to 50 minutes face-to-face with the patient; with medical evaluation and management services	\$0.00
Initial treatment, first degree burn, when no more than local treatment is required	\$25.00
injection, other	\$15.00
LFT	\$0.00
MeaslesAb Rubeo	\$0.00
Medical Home	\$0.00
Medical Records	\$0.00
Memo	\$0.00
metabpanelCMP	\$0.00
MiconazoleCream	\$0.00
misc condom dep	\$0.00
misc ins check	\$0.00
MumpsTiter	\$0.00

Myoglobin	\$0.00
New Patient	\$0.00
Nitrofurantoin	\$0.00
Nitrofurantoin5	\$0.00
NO \$5 Charge	\$0.00
NO \$5 FEE	\$0.00
NO \$5 FEE	\$0.00
Noninvasive ear or pulse oximetry for oxygen saturation; single determination	\$15.00
Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; Medical decision making of high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Physicians typically spend 60 minutes face-to-face with the patient and/or family.	\$75.00
Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; Medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Physicians typically spend 45 minutes face-to-face with the patient and/or family.	\$50.00
Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A detailed history; A detailed examination; Medical decision making of low complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate severity. Physicians typically spend 30 minutes face-to-face with the patient and/or family.	\$50.00
Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A problem focused history; A problem focused examination; Straightforward medical decision making. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Physicians typically spend 10 minutes face-to-face with the patient and/or family.	\$50.00
Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: An expanded problem focused history; An expanded problem focused examination; Straightforward medical decision making. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 20 minutes face-to-face with the patient and/or family.	\$50.00
Office or other outpatient visit for the evaluation and management of an established patient, that may not require the presence of a physician. Usually, the presenting problem(s) are minimal. Typically, 5 minutes are spent performing or supervising these services.	\$25.00
Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A comprehensive history; A comprehensive examination; Medical decision making of high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family.	\$50.00

Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A detailed history; A detailed examination; Medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Physicians typically spend 25 minutes face-to-face with the patient and/or family.	\$50.00
Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A problem focused history; A problem focused examination; Straightforward medical decision making. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Physicians typically spend 10 minutes face-to-face with the patient and/or family.	\$50.00
Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: An expanded problem focused history; An expanded problem focused examination; Medical decision making of low complexity. Counseling and coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 15 minutes face-to-face with the patient and/or family.	\$50.00
Pap-ThinPrep	\$0.00
PE Wellness - 18-39 Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 18-39 years	\$0.00
PE Wellness - 40-64 years Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 40-64 years	\$0.00
PE Wellness PE - >65 years Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 65 years and older	\$0.00
PE-ES 40-64 Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient;	\$0.00
PE-EST >65YO Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient;	\$0.00
PE-EST 18-39yrs Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient;	\$0.00
phosphate serum	\$0.00

Phosphate, alkaline	\$0.00
Pneumovax	\$0.00
Potassium Lab	\$0.00
PP Billed Dept.	\$0.00
PP IOU	\$0.00
PPCash	\$0.00
PPD step 1 or 2	\$20.00
Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 15 minutes	\$25.00
PSA total.	\$0.00
reading	\$0.00
Referral	\$0.00
Referral-ER	\$0.00
Referral-other	\$0.00
Removal impacted cerumen (separate procedure), 1 or both ears	\$75.00
Removal of intrauterine device (IUD)	\$180.00
REMOVAL OF SUTURES; BY A PHYSICIAN OTHER THAN THE PHYSICIAN WHO ORIGINALLY CLOSED THE WOUND	\$30.00
Rubella Titer	\$0.00
Rx co-pay	\$0.00
Rx Co-pay	\$5.00
Rx written	\$0.00
RXwrittenFreeRX	\$0.00
Second IM injection	\$15.00
single IM injection	\$15.00
Smoking and tobacco use cessation counseling visit; intensive, greater than 10 minutes	\$30.00
Smoking and tobacco use cessation counseling visit; intermediate, greater than 3 minutes up to 10 minutes	\$30.00
TB TEST	\$30.00
TB Test, intradermal	\$30.00
Telephone evaluation and management service provided by a physician to an established patient, parent, or guardian not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion	\$25.00
Tetanus Td	\$0.00
Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); subcutaneous or intramuscular	\$25.00
Topical Med	\$0.00
TwinRix	\$0.00
typhoidIMVacc	\$0.00
typhoidoralvacc	\$0.00
Valproic Total	\$0.00
VaricellaVaccin	\$0.00
Vital capacity, total (separate procedure) - Peak Flow	\$38.00
Amoxicillin 250 mg Cap	\$12.00
Amoxicillin 250 mg Cap	\$12.00
Aubra	\$15.00
Azithromycin 250 mg Tab	\$12.00
Azithromycin 250 mg Tab	\$12.00
Azithromycin 250 mg Tab	\$12.00
Benadryl 25 mg Cap	\$6.00

Cefpodoxime 200 mg Tab	\$12.00
cefpodoxime 200 mg tablet	\$12.00
Cephalexin 500 mg Cap	\$12.00
Cephalexin 500 mg Cap	\$14.00
Cephalexin 500 mg Cap	\$12.00
Cipro 500 mg Tab	\$12.00
Cipro 500 mg Tab	\$12.00
Ciprofloxacin	\$12.00
Cyred	\$15.00
Depo-Provera 150 mg/mL IM Susp	\$120.00
Depo-Provera 150 mg/mL IM Susp	\$60.00
Diflucan 150 mg Tab	\$5.00
Doxycycline 100 mg Cap	\$12.00
Doxycycline 100 mg Cap	\$12.00
Emoquette	\$15.00
epinephrine (Jr) 0.15 mg/0.3 mL injection,auto-injector	\$320.00
Fluarix Quad	\$0.00
Fluconazole 100 mg Tab	\$5.00
Gentamicin 0.3 % Eye Drops	\$15.00
Gentamicin 0.3 % Eye Drops	\$12.00
Hydrocortisone 1 % Topical Cream	\$3.00
Medrol dose pack	\$5.00
Methylprednisolone 4 mg Tabs in a Dose Pack	\$12.00
Methylprednisolone 4 mg Tabs in a Dose Pack	\$12.00
Metronidazole 500 mg Tab	\$12.00
Metronidazole 500 mg Tab	\$12.00
Miconazole 7 2 % Vaginal Cream	\$10.00
Miconazole Nitrate 2 % Topical Cream	\$10.00
Miconazole Nitrate 2 % Topical Cream	\$10.00
Miconazole Nitrate 2 % Vaginal Cream	\$10.00
Nitrofurantoin Macrocrystal 100 mg Cap	\$24.00
Nitrofurantoin Macrocrystal 50 mg Cap	\$30.00
OCP-Aubra	\$15.00
Orsythia	\$15.00
Penicillin V Potassium 250 mg Tab	\$24.00
Penicillin V Potassium 250 mg Tab	\$12.00
Plan B	\$16.00
Plan B 0.75 mg Tab	\$16.00
Pneumococcal Pneumovax 23	\$70.00
Sulfaceta10Soln	\$24.00
Tobramycin 0.3 % Eye Drops	\$12.00
Tobramycin 0.3 % Eye Drops	\$12.00
Tobramycin 0.3%Eye Drops	\$12.00
Tri Previfem	\$15.00
Triamcinolone Acetonide 0.5 % Topical Cream	\$5.00
Triamcinolone Acetonide 0.5 % Topical Cream	\$10.00
Trimeth Sulfa	\$5.00
Trimethoprim-Sulfamethoxazole 160 mg-800 mg Tab	\$12.00
Trimethoprim-Sulfamethoxazole 160mg-800 mg tabs	\$12.00
Trimethoprim-Sulfamethoxazole 80 mg-400 mg Tab	\$12.00
Tri-Previfem (28) 0.18/0.215/0.25 mg-35 mcg(28) Tab	\$15.00

Vantin 200 mg Tab	\$12.00
Ventolin Albuterol 200mcg	\$75.00
Ventolin HFA 90 mcg/Actuation Aerosol Inhaler	\$27.00
Ventolin HFA 90 mcg/Actuation Aerosol Inhaler	\$42.00
Vitamin B-12 1,000 mcg/mL Injection	\$2.00