



Asbestos Management Plan (Operations and Maintenance Plan)

**Office of Environmental
Health & Safety**

Revised June 2015

Table of Contents

Introduction

Scope

I. Program Administration

A. Environmental Health and Safety

II. Permissible Exposure Limit

III. Location of Asbestos-Containing Material on Campus

IV. Classification of Asbestos Work

V. Class I, II, and III Asbestos Work

A. Environmental Operations (Facilities Management)

B. Building Maintenance (Facilities Management)

C. Utilities (Facilities Management)

D. Outside Management Firms

E. Outside Contractors

VI. Class IV Asbestos Work

A. Building Maintenance (Facilities Management)

B. Building Services (Facilities Management)

C. Capital Planning & Development (University Architects)

D. Fire Prevention & Security

E. Information Services & Technology (IS & T)

F. University Police

G. Utilities (Facilities Management)

VI. Building Inspection and Surveillance of Asbestos Containing Material on Campus

A. Existing Buildings

B. New Construction

VIII. Work Practices

IX. Disposal of Asbestos Containing Material

X. Employee Notification

XI. Labeling

XII. Medical Surveillance

XIII. Respiratory Protection

XIV. Training

XV. Contractor Awareness

XVI. Emergency Response Procedures

XVII. Recordkeeping

Appendix A – CSU Campus List of Buildings Surveyed for ACM

Appendix B – Acknowledgement of Receipt of Asbestos Documents

Appendix C - Recommended Work Practices for Removal of Resilient Floor Covering

Introduction

The Cleveland State University Asbestos Management Program has been developed to comply with the requirements of the Occupational Safety and Health Administration (OSHA) Asbestos Standards for General Industry (29 CFR 1910.1001) and Construction (29 CFR 1926.1101), the Environmental Protection Agency (EPA) Title 40 Parts 61 and 763, and the Ohio Department of Health (ODH) found in the Ohio Administrative Code's Final Rule 3701-34.

Cleveland State University is committed to the health and safety of the entire campus community (employees, students and visitors). The presence of asbestos-containing material (ACM) in some University Buildings has been established through survey and inspection procedures. The objectives of this asbestos management program include, but are not limited to, the inspection and identification of asbestos-containing materials (ACM), hazard communication, training, and maintenance and repair or removal of ACM in University-owned facilities. This program is intended protect employees, students and visitors from potential health hazards associated with asbestos, and to ensure ACM will be handled in compliance with all applicable federal, state and local regulations.

Scope

The Cleveland State University Asbestos Management Program is administered by the Office of Environmental Health & Safety (OEHS). The Departmental Director, in the capacity of EHS Compliance Officer, serves as the University Asbestos Coordinator. Program requirements apply to all University-owned buildings and employees (including contracted employees) performing maintenance, repair and housekeeping services. In addition, all capital planning, construction, renovation and demolition projects are subject to the provisions of this program. Facilities Management Staff and Project Managers shall contact the Office of Environmental Health & Safety (OEHS) early in the planning stages of a project to reduce the potential for regulatory liability and to ensure an adequate source of funding in the project budget to address asbestos issues. The University Asbestos Coordinator shall be consulted and/or notified prior to physically disturbing any building material, structure or other potentially ACM.

I. Program Administration

The OEHS shall be responsible for administration of the University Asbestos Management Program. Various departments across campus may be affected by the provisions of this program, including but not limited to:

Facilities Management (Building Maintenance, Building Services, Environmental Operations, Utilities), Capital Planning and Development (University Architects), Fire Prevention and Security, Informational Service and Technology (IS & T) and University Police Department.

A. Environmental Health & Safety – Asbestos Management

The OEHS is responsible for the development, implementation and administration of the University Asbestos Management Program, including but not limited to:

- Asbestos Management Program development, direction and implementation
- Developing, implementing, and conducting and/or facilitating appropriate asbestos training programs
- Coordinating response to all emergencies on campus involving ACM
- Conducting and/or supervising all asbestos building surveys and inspections
- Reviewing all asbestos abatement projects for compliance
- Management and Oversight of activities performed by asbestos consultants
- Maintaining all records and documentation pertaining to asbestos compliance

The Asbestos Coordinator is Bob Grindley, BA, CHCM, CHS, CHSP, Director of Environmental Health & Safety and EHS Compliance Officer. The Program Administrator maintains certification in the State of Ohio as an Asbestos Hazard Evaluation Specialist (AHES) and Asbestos Project Designer (APD).

Assistance in asbestos program management is provided by Robert Howerton, B.S., AHES, CHMM, Environmental Health and Safety Officer. Robert maintains certification in the State of Ohio as an Asbestos Hazard Evaluation Specialist (AHES).

Additional assistance in asbestos program management is provided by Juliet Cooper, PE, CHMM, ASP, AHES, and Environmental Safety Officer. Juliet maintains certification in the State of Ohio as an Asbestos Hazard Evaluation Specialist.

II. Permissible Exposure Limit (PEL)

OSHA has established the permissible exposure limit (PEL) for airborne concentration of asbestos above which no employee may be exposed at 0.1 fibers per cubic centimeter (f/cc) as an eight (8) hour time-weighted average.

In addition, a short-term exposure limit (STEL) for asbestos as averaged over a sampling period of thirty (30) minutes at 1.0 f/cc.

III. Location of Asbestos-Containing Material on Campus

The University has conducted multiple surveys and inspections of its buildings for ACM. Evidence has been documented that the following University Buildings contain ACM:

Administrative Center	Mather Mansion
Advanced Manufacturing Center	Music & Communication
Advanced Manufacturing Annex	Main Classroom
Art Building	Rhodes Tower
Baker's Union	Parker Hannifin Hall
CAMP Building	Plant Annex
Chester Building/Annex	Plant Services
Cole Center	Physical Education
College of Business	Science Building
Corlett Building	Science Research Building
Doan Electric	Stilwell Hall (Fenn Hall)
East Parking Garage	Theater Arts
Fenn Tower	University Bookstore
Field Locker Building	University Center
Field Services Building	University Parking Facility
Health Sciences	Urban Affairs
Howe Mansion	Viking Hall (Demolished)
Kinkos (Demolished)	Wallingford Coffee Building
Law Building	West Parking Garage
Law Library	Wolstein Center

IV. Classification of Asbestos Work

The Occupational Safety and Health Administration (OSHA) classifies work involving ACM by the class and type of material:

Class I Asbestos Work – activities involving the removal of thermal system insulation (TSI) and surfacing asbestos containing material (ACM) and presumed asbestos containing material (PACM)

Class II Asbestos Work – activities involving the removal of ACM which is not thermal system insulation or surfacing material. This includes, but is not limited to, the removal of asbestos containing wallboard, floor tile and sheeting, roofing and siding shingles, and construction mastics

Class III Asbestos Work – repair and maintenance operations where ACM, including thermal system insulation and surfacing ACM and PACM is likely to be disturbed

Class IV Asbestos Work – maintenance and custodial activities during which employees contact but do not disturb ACM and PACM and activities to clean up dust, waste and debris resulting from Class I, II and II activities

V. Class I, II, and III Asbestos Work

A. Environmental Operations (Facilities Management)

Environmental Operations (Facilities Management) conducts maintenance in areas known to contain ACM, repairs ACM that may become damaged during maintenance, and performs minor abatement (i.e., typically involving less than one bag of materials). Designated individuals assigned to these tasks possess certification, hold state licensure and receive training applicable to the specific asbestos-related tasks performed and are permitted to do asbestos work consistent with this training. Team members are provided medical exams, personal protective equipment (PPE), training and licensing on an annual basis, and participate in the University Respiratory Protection Program. Designated members:

- *Perform maintenance and repair of all material known to contain ACM
- *Obtain and maintain equipment and supplies necessary for asbestos-related projects
- *Respond to emergencies involving ACM and potential fiber releases
- *May abate ACM if amounts are determined to be less than 260 linear, or 160 square feet. Abatement activities referenced are to be considered those that involve routine maintenance activities. Asbestos abatement related to renovations and capital improvement projects may be performed based on staff availability, with the cost of such abatement to be assessed to the project budget
- *May supervise the maintenance, repair and abatement of ACM if work is performed by a licensed outside contractor
- *May provide consultation and recommendations for campus asbestos projects within scope of training
- *Coordinate removal and disposal of all asbestos-containing material with The OEHS.

Environmental Operations (Facilities Management) reserves the right to assess charges to departments and/or projects for any asbestos abatement or clean up costs associated with their failure to adhere to the policies and provisions of the University Asbestos Management Program.

Environmental Operations (Facilities Management) personnel involved in the Asbestos Management Program possesses training as Class I Workers (except the Director):

- Shehadeh Abdelkarim.....Director of Facilities Management
- Mark Cunningham.....Asst. Director of Facilities Management
- Karl Bassett.....Crew Leader

Gary Ciomek.....	Air Quality Technician 2
Neal Johnson.....	Air Quality Technician 2
Andrew Pankuch.....	Air Quality Technician 2
Mike Gilligan.....	Air Quality Technician 3
Thomas Herman.....	Air Quality Technician 3
Robert Kendrick.....	Air Quality Technician 3
Lisa Milota.....	Air Quality Technician 3

B. Building Maintenance (Facilities Management)

Building Maintenance may opt to address work with asbestos containing material for which they are responsible, including repairs and maintenance by contracting the work out to a licensed asbestos abatement firm whose employees possess the appropriate training and certification under OSHA.

No university employee assigned to this Department shall disturb any asbestos containing building material as part of their duties unless they have been directed to and have had the training appropriate to the type of material involved.

C. Utilities (Facilities Management)

Utilities may opt to address work with asbestos containing material for which they are responsible, including repairs and maintenance by contracting the work out to a licensed asbestos abatement firm whose employees possess the appropriate training and certification under OSHA.

No university employee assigned to this Department shall disturb any asbestos containing building material as part of their duties

D. Outside Management Firms

Certain Buildings are managed by outside firms under contract with CSU. Currently the buildings and respective management firms are:

University Bookstore.....	Nebraska Book Company
Fenn Tower.....	American Campus Community
Student Center.....	Chartwell
Euclid Commons/Heritage Hall.....	American Campus Community
Wolstein.....	Global Spectrum

E. Outside Contractors

Many University departments may facilitate work that is performed by outside contracted employees. All University departments, including those identified in this management plan are responsible for notifying all outside contracted

employees in writing of the presence and location of asbestos containing materials in their respective buildings. University representatives shall facilitate the outside contractor's signature on an Acknowledgement of Receipt Form (Appendix B) when providing asbestos documents to outside contracted companies. These departments may obtain information about asbestos in their buildings by contacting the OEHS.

VI. Class IV Asbestos Work

There are certain departments where designated employees are not required to handle, but may work around, contact, and subsequently be impacted by the presence of ACM (defined as Class IV Work by OSHA). Employees of these departments receive two (2) hour Asbestos Awareness Training on an annual basis.

Should any activities managed by these departments be assigned to outside contractors, and the proposed project involves work in areas known to have ACM, departmental personnel are responsible for providing information to these contractors regarding the presence of ACM, and for notifying the OEHS prior to any work being performed.

These departments include, but are not limited to:

A. Building Maintenance (Facilities Management)

Building Maintenance (Facilities Management) has responsibility for the installation, operation and maintenance of plumbing systems, lighting and fixtures, glass replacement, signage, painting and keys. Such duties can result in employees entering and performing work in areas known to have ACM.

B. Building Services (Facilities Management)

Housekeeping, janitorial and moving activities are provided by Building Services (Facilities Management) on a daily basis. Employees clean all areas of campus, polish and wax floors, remove trash and move equipment across campus. Employee activities may involve cleaning areas known to have ACM but are unlikely to involve contact this material directly with the exception of resilient floor covering.

C. University Architects

The Architects and related staff that facilitate and manage building construction and renovation projects on campus. Personnel serve as Project Managers and may frequently perform site visits to oversee and ensure work progress.

D. Fire Prevention & Security

Fire Prevention & Security, under Access Control, maintains fire systems, repair and inspection of alarms and equipment, including but not limited to sprinklers, fire extinguishers and other suppression equipment, fire alarms, and security surveillance and alarm systems. Such building systems may be located in areas that contain ACM.

E. Information Services & Technology (IS & T)

The Department of Information Services and Technology (IS & T) is responsible for ensuring the availability of technology resource systems (computers, telephones, wireless campus, etc...) to the campus including installation, maintenance and repair, and security for those systems. As part of these activities, employees may be required to work in areas where ACM are present.

F. University Police

The University Police Department is charged with the responsibility for providing a safe and secure environment for the entire campus community. Their routine patrol of, and emergency response to, campus buildings covering over 5.3 million square feet may result in officers being required to be present in areas where ACM is or may be present.

G. Utilities (Facilities Management)

The Utilities Department (Facilities Management) maintains and distributes energy services to campus buildings including, but not limited to steam, electricity, domestic water, gas, and storm water and sanitary waste removal. Utility distribution systems may be located in areas that contain ACM.

VII. Building Inspection and Surveillance of Asbestos Containing Material on Campus

A. Existing Buildings

Surveys identifying the location of ACM in existing campus facilities have been performed. Survey reports (one for each campus building) include lists of homogenous materials, lab reports, assessment of condition and hazard potential of each ACM, and approximate square or linear footage. Written reports also include photographs and a floor plan of every building that illustrates the location of ACM.

Copies of building inspection reports have been provided to the following campus departments:

The Office of Environmental Health and Safety
Facilities Management (Environmental Operations)
Facilities Management (Building Maintenance)
University Architects (Capital Planning)
University Police
Facilities Management (Utilities)

In addition, copies of asbestos building inspections have been provided to outside contracted management firms for the buildings they are assigned to manage:

Viking Hall
Student Center
University Bookstore
Identified Areas of:
 Business College
 Law Building
 Rhodes Tower
 Stilwell Hall (Fenn Hall)

IMPORTANT: University representatives shall facilitate the outside contractor's signature on an Acknowledgement of Receipt Form (Appendix B) when providing asbestos documents to outside contracted companies.

Campus buildings shall be subject to re-inspection every three years by an accredited building inspector.

B. New Construction

It is recommended that new construction/remodeling projects include costs for sampling of building material to be used in the project prior to installation, eliminating the need for a construction survey prior to renovation.

VIII. Work Practices

Work Practices are established as being performed by two major groups:

- CSU Employees
- Contracted Employees

CSU Employees

Building construction and/or renovation activities physically performed by CSU Employees require the following actions prior to beginning any construction and/or renovation activities:

1. Upon receipt of a Service Request and/or Work Order, responsible department shall review the Building Inspection Report for that building room/area to verify the presence or absence of ACM. This is done by the Foreman/Supervisor/Project Manager.
2. If the building area/room is indicated as not having any ACM, work may then proceed.
3. If the building area/room is slated for abatement of ACM (Class I and II Work), the employees shall:
 - a. Provide notification to regulatory agency of jurisdiction at least ten (10) days prior to performing the work where applicable.
 - b. Follow procedures as set forth by OSHA for Class I and II Work including but not limited to use of wet methods, flame resistant polyethylene film six (6.0) mil in thickness, glove bagging, erecting critical barriers, modification/isolation of building ventilation system to that area, air filtration devices (AFDs), providing for a minimum of four (4) air exchanges per hour, maintaining a negative pressure differential of at least or in excess of 0.02 inches of water
 - c. Coordinate such activity with the OEHS
 - d. Provide a qualified “competent person” as defined by OSHA to be present to supervise the work
 - e. Establish a regulated area where airborne asbestos is likely to exceed the PEL and post warning signs bearing the following information:

**DANGER
ASBESTOS
MAY CAUSE CANCER
CAUSES DAMAGE TO LUNGS**

The following information must be added when PPE is required.

**WEAR RESPIRATORY AND PROTECTIVE
CLOTHING IN THIS AREA**

- f. Wear appropriate disposable personal protective clothing that may include coveralls or similar whole-body clothing, head coverings or hood, gloves and foot coverings, and adhere to decontamination procedures set forth by OSHA.

- g. Wear respiratory protection, in conjunction with the University's Respiratory Protection Program, unless a negative exposure assessment has been performed or air monitoring has demonstrated the permissible exposure limit for asbestos has not been exceeded.
 - h. Perform daily air monitoring for employees working in a regulated area
 - i. Facilitate clearance monitoring before returning the room/area to use
 - j. Report any other damaged ACM in the area immediately to The OEHS.
- 4. If the building area/room is indicated as having ACM, and the work activity and/or repair involves disturbing existing ACM (Class III Work), then the employees shall:
 - a. Follow procedures set forth by OSHA for Class III Work which includes but is not limited to wet methods and local exhaust ventilation, when appropriate. If the possibility of exposure exists, isolate the area from the building HVAC system
 - b. Wear appropriate disposable personal protective clothing that may include coveralls or similar whole-body clothing, head coverings or hood, gloves and foot coverings, and adhere to decontamination procedures set forth by OSHA.
 - c. Where drilling, cutting abrading, sanding, chipping, breaking or sawing thermal system insulation takes place, employees shall employ the use of impermeable drop cloths, glove bag systems, small enclosures or other effective means of isolation and techniques that will capture fibers.
 - d. Wear respiratory protection, in conjunction with the University's Respiratory Protection Program, unless a negative exposure assessment has been performed or air monitoring has demonstrated the permissible exposure limit for asbestos has not been exceeded.
 - e. Report any other ACM that is observed to be damaged in the area immediately to The OEHS.
- 5. If the building area/room is indicated as having ACM and the work activity involves custodial activities (housekeeping, etc...), then employees shall:
 - a. Exercise care when cleaning, buffing stripping, floor tiles that are known to have ACM
 - b. Never sand or physically abrade ACM Floor Tile.
 - c. Use wet methods and low abrasions pads at speeds less than three-hundred (300) revolutions per minute (RPMs).
 - d. Report any additional ACM material that is observed to be damaged immediately to The OEHS
- 6. Floor tile shall be addressed in conjunction with the recommended procedures of the Resilient Floor Covering Institute (RCFI) – see Appendix C. Report

any additional ACM material that is observed to be damaged immediately to the OEHS

Contracted Employees

Contractors performing work in areas where asbestos-containing materials are present shall comply with all federal, state and local legislation pertaining to safely and compliantly working with asbestos containing material, including but not limited to the procedures set forth above. See CSU's Contractor Awareness Guide requirements for asbestos.

IX. Disposal of Asbestos Containing Waste

All asbestos-containing waste material is to be wetted and placed in polyethylene bags (double-bagged) at least six (6.0) mil in thickness bearing the following information/labels:

First Label: In accordance with 29 CFR 1910.1200 (f) of OSHA's Hazard Communication Standard:

**MAY CAUSE CANCER
CAUSES DAMAGE TO LUNGS
DO NOT BREATHE DUST
AVOID CREATING DUST**

Second Label: Provide in accordance with the U.S. Department of Transportation regulation on hazardous waste marking, 49 CFR parts 171 and 172, Hazardous Substances: Final Rule. Published November 21, 1986 and revised February 17, 1987:

**RQ (ASBESTOS)
CLASS 9
NA 2212
P.G.III**

University employees trained to work with and disturb asbestos containing material as part of their duties shall contact the OEHS to manage the removal. All asbestos waste material shall be stored in secured area and disposed of using licensed transporters and disposal facilities.

Outside contracted employees shall be responsible for appropriate and compliant removal of asbestos containing material off campus. Waste manifests shall be provided to the contracting University department and copies to The OEHS.

X. Employee Notification

Employees will be notified whenever applicable and prior to any work with asbestos containing material in their immediate or adjacent area.

XI. Labeling

Signage identifying the presence and location of asbestos containing materials shall be posted at the entrance to mechanical rooms or areas that contain thermal system insulation and surface asbestos-containing materials. Specific work practices to ensure the material is not disturbed shall also be present.

XII. Medical Surveillance

Designated individuals who possess certifications to perform Class I, II and III Asbestos Work are required to participate in the Medical Surveillance Program. Prior to performing asbestos work, individuals undergo a medical examination. Medical evaluations are performed by:

St. Vincent Charity Hospital
Occupational Medicine Center
2475 East 22nd Street, Suite 310
Cleveland, Ohio 44115

XIII. Respiratory Protection

Designated individuals who are required to wear respiratory protection are enrolled in the University's Respiratory Protection Program. Initially before assignment, and annually thereafter, workers undergo a qualitative fit test. Annual exams are performed to determine whether asbestos work has caused harmful effects. All fit testing is performed by:

St. Vincent Charity Hospital
Occupational Medicine Center
2475 East 22nd Street, Suite 310
Cleveland, Ohio 44115

XIV. Training

Employees are provided required training based on the particular class of work they may perform:

Class I and II Asbestos Work – employees complete a 32-hour course addressing the performance of asbestos abatement activities. Course content includes background information pertaining to asbestos, health effects, personal protective equipment, respiratory protection, safe work practices, and regulatory

requirements. Hands-on training includes the use of protective equipment, asbestos removal techniques and preparation of an area for abatement work. Class I and II Asbestos Workers are also qualified to perform Class III and IV asbestos activities.

Some employees are provided specialized training on removal of Class II flooring. These employees may remove and replace cracked/damaged floor tile that is non-friable only. Any floor tile that has become friable will be handled by other Class I and II Asbestos Workers.

Class III Asbestos Work (Operations and Maintenance) – employees complete a 16-hour course addressing asbestos activities. These employees may be involved in work that may disturb asbestos containing materials for the purpose of accessing building components and equipment. Course content includes background information pertaining to asbestos, health effects, legal issues, respiratory protection, work practices, supervisory skills, and regulatory requirements. Hands-on training includes the use of protective equipment, asbestos removal techniques, and preparation of small work areas for abatement. Class III Asbestos Workers may act as competent persons for Class III and IV asbestos activities.

Class IV Asbestos Work – employees complete a 2-hour awareness course which includes general information on the types of asbestos, labeling, associated health effects and how to reduce the risk of exposure using safe work practices.

XV. Contractor Awareness

Contractors employed by the University shall be informed in writing by the University Representative for the project/repair of the location of suspect and known ACM in the area they are to perform work. University representatives shall facilitate the outside contractors signature on an Acknowledgement of Receipt Form (Appendix B) when providing asbestos documents to outside contracted companies. Contractors shall not disturb any suspect or known ACM unless their employees have received the appropriate training specified for the work, and if applicable hold the appropriate state license.

XVI. Emergency Response Procedures

There is a small chance that any campus building containing ACM is potentially subject to a fiber release episode. Employees are to adhere to the following protocol when reporting a potential fiber release in an area known to contain ACM:

1. Leave and secure the area in such a manner that prevents entry by unauthorized personnel.
2. Notify an immediate supervisor of the incident.

3. If in the area of fiber release, seek medical attention (be sure to fill out an accident/incident report)
4. Contact the OEHS via the CSU Public Safety Answering Point (PSAP) – Campus Safety Dispatch by dialing 9-1-1 or 8, 9-1-1 from any campus phone. Cell phone users may also dial 9-1-1 and ask operator to be connected with CSU Police. The CSU Dispatcher will in turn contact the OEHS.
5. The Asbestos Coordinator will ensure area(s) have been properly secured, and facilitate a response by an external abatement contractor, or assign a trained in-house team to make repairs and clean up any debris in a timely fashion.
6. A post-incident review will be held to evaluate the response with applicable University Departments.

XVII. Recordkeeping

All documentation records pertaining to elements identified in this Asbestos Management Plan (Operations and Maintenance Plan) are maintained by the OEHS that include, but are not limited to:

- Written Operations and Maintenance Plan
- Survey data, including building plans and drawings
- Notifications and labels
- Training Programs
- Written Respiratory Protection Program
- Any permits and information pertaining to maintenance and renovations performed, including emergency response
- Abatement Records

Appendix A

CSU Campus List of Buildings Surveyed for ACM

CSU Building	Address	ACM Present	Supervisor To Review Service Request/Work Order
Advanced Manufacturing Center	1751 East 23 rd	Yes	Yes
AMC Annex	1751 East 23 rd	Yes	Yes
AM Extension	East 25 th	Yes	Yes
Art Building	2301 Chester	Yes	Yes
Baker's Union Building	1870 East 19th	Yes	Yes
Chester Building	2300 Chester	Yes	Yes
Cole Center	3100 Chester	Yes	Yes
College of Business	1860 East 18 th Street	NO	NO
College of Urban Affairs	1717 Euclid	NO	NO
Convocation Center	2000 Prospect	NO	NO
Corlett Building	1935 Euclid	Yes	Yes
Doan Electric	1807 East 22 nd	Yes	Yes
Fenn Tower	1983 East 24 th	NO; ABATED WINTER 2004	Yes
Field Locker Building	1842 Payne	Yes	Yes
Field Services Building	1848 Payne	NO	NO
Health Sciences	2501 Euclid	NO	NO
Howe Mansion	2258 Euclid	NO; ABATED SPRING 2004	NO
Intramural Sports Center	1881 East 24 th	NO; ABATED WINTER 2004	NO
Kinko's	2112 Euclid	Yes	Yes
Law Building	1801 Euclid	Yes	Yes
Law Library	1801 Euclid	NO	NO
Main Classroom	1899 Euclid	Yes	Yes
Music & Communication	2001 Euclid	NO	NO
Physical Education	2451 Euclid	Yes	Yes
Plant Services	1802 East 25 th	Yes	Yes
Plant Annex	East 25 th	NO ABATED 2006	NO
Rhodes Tower	1860 East 22 nd	Yes	Yes
Science & Research	2351 Euclid	Yes	Yes
Science Building	2399 Euclid	Yes	Yes
Stilwell Hall	1960 East 24 th	Yes	Yes
Theater Arts	1833 East 23 rd	Yes	Yes
University Bookstore	2400 Euclid	Yes	Yes
Student Center	2121 Euclid	Yes	Yes
University Hall (Mather Mansion)	2605 Euclid	Yes	Yes
University Parking	1880 East 21 st	NO ABATED 2006	NO
Viking Hall	2130 Euclid	Yes	Yes
West Garage	1851 East 17 th	NO	NO

Appendix B

Acknowledgement of Receipt of Asbestos Documents



**Office of Environmental Health and Safety
Asbestos Management Program**

Acknowledgement of Receipt of Asbestos Documents

Date	Company	Representative	CSU Building	# of Copies

I acknowledge receipt of the following asbestos documents as identified above from Cleveland State University.

Company Representative Signature

Date

University Representative Name (Print)

Date

University Representative Signature

cc: Environmental Health and Safety Director

Appendix C

Recommended Work Practices for the Removal of Resilient Floor Coverings

Insert Document